

Raman Intensity

— Semen on Polyester
— Standard 1
— Standard 2

(a)

×150


(b)

×150

(c)

400 600 800 1000 1200 1400 1600

Wavenumber / cm^{-1}



Job code: CATER_325_2
Journal name: Journal of Raman Spectroscopy

Total number of figures: 1

Summary of changes made to meet journal requirements

Specifications of the final figures

Figure number	Figure type	Width (mm)	Height (mm)	Resolution (dpi)	File format	Font type	Color mode
Figure 1	Vector	80	62	600	TIFF/EPS/PDF	Arial	RGB

Other changes

Figure number	Changes to figure	Changes to text

If you have any questions about any of the changes or notes, please let us know. For a glossary of terms used in this report, please see the following page.

Glossary of terms used in the report

RGB (Red, green, blue): A color mode, usually recommended for images intended for online publication

CMYK (Cyan, Magenta, Yellow, black): A color mode, usually recommended for images intended for print publication

TIFF (Tagged Image File Format): A file format, usually recommended for color and grayscale images, particularly photographs

EPS (Encapsulated PostScript): A file format, usually recommended for images, particularly for vector images such as graphs.

Line art: Images with straight lines and text, such as graphs, charts, and simple diagrams

Halftone: Photographic images, drawings, paintings, etc. with fine shading

Combination art: Images that are a combination of halftone and line art or halftone and text.